

**TECE**  
close to you

# SIMPLY DIFFERENT!

TECEone – the toilet with  
shower function

**NEW**






# FUTURE-PROOF WITHOUT POWER

TECEone is the proof that advanced technology also works without electricity. The warm water for the cleaning comes directly from the pipe. TECEone is thus setting benchmarks for greater comfort in intimate hygiene.

With minimum effort for assembly and maintenance!

“No power, no complicated electronics, no problem with the installation!”



### TECEone is different

Complicated electronics, expansive dimensions, high cost – features that up until now did little for the installation of shower toilets. We’re changing the rules of the game with TECEone: Thanks to the unpowered shower function, it’s as simple to install as a shower fitting. TECEone is also intuitive and comfortable in its operation. And it’s so beautifully designed and compact that it fits in any bathroom.

### Product advantages

- No water tank, no power connection, no boiler
- Simple installation and maintenance
- Intuitive operation with two regulators
- Compact dimensions
- Timeless and elegant design
- Attractive price-performance ratio

# Shower function made easy.

## Freshness at the push of a button

Shower toilets are more than a trend: They improve hygiene and are already now establishing themselves as the new standard in modern bathroom design. We're going one step further with TECEone: with utmost operating comfort and well-thought out features for simple cleaning.

1



2



3



4



- 1 The shower arm extends under water pressure. The shower nozzle caps come in four versions which differ from each other in terms of intensity and position of the shower spray.
- 2 Temperature regulator to individually set the water temperature up to 38°C
- 3 Water regulator for adjusting the quantity of water as required up to 5.6 litres per minute
- 4 Automatic self-cleaning of the shower arm before and after every use

# Less technology, more security.

## Functions simply

We like it when technology is simple. Therefore, with TECEone we concentrated on the essentials for efficient, secure and above all easy assembly and maintenance.




2



3



4



## Quality guaranteed!

TECEone complies with the requirements of EN 1717 and EN 997.

- 1 Easy changing of cartridges and shower heads
- 2 Connection of the hot and cold water lines via corner valves
- 3 Concealed attachment technology for wall mounting
- 4 Seat attachment with factory-mounted pre-fitted and cast bolts

The safety system integrated into the TECEone for the protection of drinking water complies with the requirements of EN 1717. TECEone can thus be directly connected to the hot and cold water pipe. The ceramics and toilet seat also both meet the respective applicable standards EN 997.



# The range

## That is TECEone

Rimless toilet ceramics with integrated shower function for comfortable personal cleaning using water.

The shower function uses the building's hot and cold water connections, and thus requires no electricity. Matching upgrade sets are available for water connections for brick-wall construction and dry-wall construction.



**TECEone toilet seat with lid**

Toilet seat with lid, fits TECEone toilet ceramics. Must be ordered separately.

**Order no. 9700600**



**TECEone toilet ceramics with shower function**

**Order no. 9700200**

## Installation accessories



**TECEone upgrade set for dry-wall**

Sound-insulated shell set for pre-installation of TECEprofil dry-wall cistern for the TECEone water connection.

**Order no. 9880046**



**TECEone upgrade set for brick-wall**

Sound-insulated shell set for pre-installation of TECEbox brick-wall cistern for the TECEone water connection.

**Order no. 9880047**



**TECEone wall disks made of red brass**

Two wall disks 1/2" x 1/2" female thread. For optional combination with the TECEone upgrade set as universal connection with conventional piping systems.

**Order no. 9021032**



**Shower nozzle caps**

TECEone shower nozzle caps come in four versions which differ from each other in terms of intensity and position of the shower spray.

Shower nozzle cap (x 3) "standard" 75° (included in the scope of delivery)

**Order no. 9820403**

Shower nozzle cap (x 3) "standard" 90°

**Order no. 9820404**

Shower nozzle cap (x 3) "medium" 90°


**Order no. 9820405**

Shower nozzle cap (x 3) "small" 90°


**Order no. 9820406**



TECEone impresses:  
View all the information on product and installation at [www.tece.com/teceone](http://www.tece.com/teceone).



"standard" 75°



"standard" 90°

For more information, go to  
[www.tece.com/teceone](http://www.tece.com/teceone)

**TECE GmbH**  
T +49 25 72/9 28-999  
[international-business@tece.de](mailto:international-business@tece.de)  
[www.tece.com](http://www.tece.com)